



# MULTIFUNCTION PERFORMANCE MEETS OUTSTANDING PRODUCTIVITY



MULTIFUNCTION PERFORMANCE meets outstanding productivity

► Simple-to-use control panel

The new and intuitive 5.7" QVGA touch screen lets you perform your daily operations such as Copy, Fax\* and Scan jobs. Languages including Thai and Vietnamese are supported to help easy assimilation for all users.

*\* Installation of an optional Fax Board is required.*



► Easy maintenance and affordable with low running cost

Utilizing a separate toner and drum design, each component can be replaced individually, reducing your running costs of maintenance. Furthermore, the new E-drum and toner feature longer durability for higher device uptime.



► Hassle-free Paper Loading

The imageRUNNER 2500W series comes with several standard configurations for paper capacity, so you can be sure there is one for your needs. Additional cassettes may be added to boost total paper reserves to 2,300 sheets, ensuring maximum output efficiency.

Canon's new imageRUNNER 2500W series has incorporated standard features designed to keep your office more productive. From standard network print capability to in-built duplex functionality, this multifunctional device is perfect for any office setting.

Other key features includes a USB port, allowing you to print with, and the option to scan to your thumbdrive directly, as well as long-life components such as E-drum to reduce maintenance and maintain uptime.

The imageRUNNER 2500W series. It's your choice for greater productivity.



## excellent PRINT performance for more professional looking documents



► Standard Printing Capability

The new imageRUNNER 2500W series features a standard print capability of 1200 x 1200 dpi with Canon's innovative Ultra Fast Rendering II LT (UFR II LT) printing technology. It is an ideal blend of speed and simplicity for professional looking documents.

This unique printing solution collaborates with the processing power of the sending computer to balance the data load, and augments its own capabilities to facilitate high speed printing. Optional support for PCL5e/6 and PostScript are also available.


► Seamless Network Printing

The new imageRUNNER 2500W series can be seamlessly connected to your office network as a shared system. You and your colleagues can now benefit from network printing right out of the box. This not only saves office resources but also simplifies the ease of management.

With support for IPv6, these devices are also ready to meet your future network infrastructure requirements.

► Secure Print

The imageRUNNER 2500W series supports driver-based Secure Printing. Secure Printing allows you to hold your print jobs until the appropriate password is entered at the machine. This way, confidential documents are not left lying on the machine's output tray.








# impressive COPY capabilities

multiply your productivity with imageRUNNER technology


## Rotation and Collation of Paper output

The new imageRUNNER 2500W series allows for rotation and collation of paper output, without the need for additional finishing options. This convenient feature eliminates the time consuming, tedious and manual sorting of paper documents, saving you both time and effort for the large volume of documents.




## ID Card Copying

With the ID Card Copying function, both sides of the card can be copied on a single side of the paper in its actual size with just a few clicks.



## Create booklet copies for easier reading

You can create booklet copies from 1-sided or 2-sided originals, making it easier to read and carry around with convenience.



# SCAN and SEND in full clarity

vivid images at the touch of a button



## STANDARD

### Add colour to your scans with Colour Network ScanGear

Using the Colour Network ScanGear, you can easily edit or modify scanned images at your own workstation and create crisp, clear, and detailed coloured images by utilizing the network in your office. There is no need for standalone scanners or dedicate a PC to a scanner, saving precious time and resources.




## OPTIONAL

### Reduce file size to save disk space and bandwidth

Canon's innovative PDF High Compression Mode enables you to compress the file size of colour images to approximately 1/10th the size of the original size while maintaining image quality. This allows for meaningful electronic archival of documents at the optimal balance of quality and file size.

### Colour Send with High-Compression Mode "PDF (Compact)"

Original: 11" x 17" Hard-copy, Colour Graphic with Text



High-quality Image Output  
Minimal File Size

# secure device MANAGEMENT

for greater control

## Manage access with Department ID

By activating the Department ID mode, usage of imageRUNNER 2500W series can be restricted to only users with valid ID & password. You can create up to 1,000 accounts, with restrictions set on copy, print and scan for each individual user. This promotes greater cost awareness among staff and gives you total cost control.

| Example: | Copy           | Print          | Scan           |
|----------|----------------|----------------|----------------|
| USER A   | 100 page limit | 50 page limit  | 100 page limit |
| USER B   | 100 page limit | 150 page limit | 20 page limit  |

\* Usage of control cards require additional hardware installation.

## Remote User Interface and e-Maintenance

The inbuilt Remote UI (Remote User Interface) enables administrators to access machine functions and settings from a web browser on a computer. And with e-Maintenance, administrators can keep track of consumables, device usage and reduce tedious administrative work such as manual meter reading and billing verifications automatically. All these translate to lower downtime and higher productivity.

\* e-Maintenance works with most Canon copiers, printers and multifunction devices. For more information on supported models, please contact Canon.

## Device Authentication, usage accountability and secure printing solutions

The imageRUNNER 2500W, together with uniFLOW, allows for advanced control and precise management with features like device authentication, usage accountability and secure printing solutions.

◆ **Print Management**  
You can now track print activities on the device, and generate reports for easy viewing and analysis.

◆ **Cost Accounting**  
Charge printing cost to individuals or assign the expense to respective workgroups or departments without the manual, messy accounting procedures.

◆ **Authentication Printing**  
keep documents unprinted until the user login and released the document from the device. Users will only be able to view their own print jobs upon authentication. This means the user can securely collect confidential documents and eliminate the problem of forgotten printouts in the machines's output tray.

◆ **My-Print-Anywhere**  
Pick up your printed document from any multi-function device connected to the uniFLOW server. Simply identify yourself at the device of your convenience!

## Scan and store directly to your USB thumbdrive

The new imageRUNNER 2500W series offers a new level of convenience with optional direct scan to USB memory - an indispensable function for users who are in a hurry or want quick paper conversion to electronic files without the use of a PC. You can convert paper documents to JPEG or TIFF formats and save them directly into a USB memory media.


## Create Searchable PDF automatically

By converting scanned images into text automatically, you can create a Searchable PDF. This reduces the time taken to search for keywords, especially within lengthy documents.

## Distribute to anywhere with Colour Send

Simply scan hardcopy originals and transmit them in PDF, JPEG or TIFF format to email addresses, shared folders, desktop PCs or faxes\* in a single operation. This reduces the cost of hardcopy distribution, saving time, money, and filing space.

\* Installation of optional fax board is required.



The imageRUNNER 2500W series works as a central device for your document transmission needs.

## Authentication Send for better security

Where added security is required, you can activate the authentication send feature before using the Colour Send feature. Upon user authentication, destination and job settings can be specified. This helps protect confidential documents from unauthorised transmission without locking down the print and copy features of the device. You can even set address restriction that allows sending only to authorised users.



# hassle-free FAX functionality


with high speed document transmission

### ► Super G3 Fax Technology

Send and receive fax messages with the optional Super G3 Fax Technology. The fast speed dramatically reduces your telephone charges and is ideal for sending multiple pages using the one-touch (up to 200 one-touch dials) or group dialing functions.

### ► Fax Forwarding

With Fax Forwarding, you will never miss important faxes. Incoming faxes or I-faxes can be configured to automatically route to your desired location.



### ► More fax input possibilities

Compared to standalone fax machines, faxing on multifunctional devices offer much more without requiring additional storage space. You can input from hardbound documents directly and even up to A3-sized documents.

### ► PC Faxing

You can send faxes over the network. With PC Fax, you can eliminate the need to print out hardcopies for faxing, hence reducing paper wastage.



### ► 1000-page Storage Capacity

With the capability to store up to 1000 pages in the memory, you no longer have to worry about losing incoming faxes, even when toner and paper supplies are down.

### ► Reduce paper consumption with Duplex Printing

With standard duplex printing, you can print incoming faxes on both sides of the paper to reduce paper consumption and filing space.



## a better ENVIRONMENT

makes better business sense

Canon designs multifunction devices with the environment in mind, aiming to reduce energy consumption when in use and ensuring ease and comfort of operation.

### ► Energy Conservation

With Canon's RAPID Fusing System™, imageRUNNERS are ready to print instantly, reduce high energy consumption and keep costs at a minimum. imageRUNNERS are certified as international ENERGY STAR® compliant.

### ► Eco-friendly with Green Technology

Other than saving energy, Canon has also successfully developed a unique roller-charging system, which effectively absorbs and disperses the ozone through a filter, making it an ozone-free operation.

### ► Compliance with EU directive on RoHS (Restriction on Hazardous Substance)

At Canon, non-hazardous materials and green technology are used. As such, you can be assured that with Canon products, your business and well-being are taken care of.

## SPECIFICATIONS - imageRUNNER 2500W series

|                                       |   |  |
|---------------------------------------|---|--|
| Device                                | imageRUNNER 2520W/2525W/2530W/2535W/2545W   |  |
| Type                                  | Desktop (Reader Combined + Inner Output)  |  |
| Imaging System                        | Laser Dry Electrostatic Transfer System   |  |
| Memory                                | Standard: 256MB<br>Maximum: 512MB   |  |
| Network Interface                     | Ethernet (100Base-TX/10Base-T), USB 2.0   |  |
| Warm Up Time                          | When the main power is turned ON: 30 seconds or less<br>When the machine wakes from the Sleep mode: 10 seconds or less          |  |
| First Copy Output Time                | imageRUNNER 2545W/2535W: 3.9 seconds or less<br>imageRUNNER 2530W/2525W/2520W: 6.4 seconds or less                              |  |
| Multiple Copies                       | 1 to 999 sheets   |  |
| Magnification                         | 25% to 400% (1% increment)  |  |
| Maximum Original Size                 | Max. A3   |  |
| Duplex                                | Standard  |  |
| Copy/Print Speed                      | A4  | imageRUNNER 2545W: 45ppm<br>imageRUNNER 2535W: 35ppm<br>imageRUNNER 2530W: 30ppm<br>imageRUNNER 2525W: 25ppm<br>imageRUNNER 2520W: 20ppm |
|                                       | A3  | imageRUNNER 2545W: 22ppm<br>imageRUNNER 2535W: 22ppm<br>imageRUNNER 2530W: 15ppm<br>imageRUNNER 2525W: 15ppm<br>imageRUNNER 2520W: 15ppm |
| Resolution                            | Reading: 600 x 600 dpi<br>Writing: 1200 x 1200 dpi  |  |
| Paper Sources (A4, 80gsm)             | imageRUNNER 2520W:<br>Standard: 250 sheets paper capacity<br>Maximum: 250 + 3 x 550 sheets paper capacity                       | Standard:<br>100 sheets Stack Bypass   |
|                                       | imageRUNNER 2530W/2525W:<br>Standard: 250 + 550 sheets paper capacity<br>Maximum: 250 + 3 x 550 sheets paper capacity           |  |
|                                       | imageRUNNER 2545W/2535W:<br>Standard: 2 x 550 sheets paper capacity<br>Maximum: 4 x 550 sheets paper capacity                   | Standard:<br>100 sheets Stack Bypass   |
| Acceptable Paper Weights              | Paper Cassette: 64 to 90gsm<br>Stack Bypass: 64 to 128gsm   |  |
| Main Unit Dimensions (W x D x H)      | imageRUNNER 2520W:<br>565 mm x 680 mm x 681 mm (with the platen cover)<br>565 mm x 693 mm x 771 mm (with the feeder)            |  |
|                                       | imageRUNNER 2525W/2530W:<br>565 mm x 680 mm x 806 mm (with the platen cover)<br>565 mm x 693 mm x 896 mm (with the feeder)      |  |
|                                       | imageRUNNER 2535W/2545W:<br>565 mm x 680 mm x 806 mm (with the platen cover)<br>565 mm x 689 mm x 907 mm (with the feeder)      |  |
| Installation Space                    | 1,079 mm x 1,441 mm (with no optional equipment attached)<br>1,367 mm x 1,441 mm (with the optional Inner Finisher-B1 attached) |  |
| Weight                                | imageRUNNER 2520W: Approx. 50.5 kg<br>imageRUNNER 2525W/2530W: Approx. 67.7 kg<br>imageRUNNER 2535W/2545W: Approx. 69.5 kg      |  |
| Power Source                          | imageRUNNER 2520W/2525W/2530W: 220 - 240 V AC, 50/60 Hz<br>imageRUNNER 2535W/2545W: 220 - 240 V AC, 50/60 Hz                    |  |
| Maximum Power Consumption             | imageRUNNER 2520W/2525W/2530W: Approx. 1.542kW<br>imageRUNNER 2535W/2545W: Approx. 1.827 kW                                     |  |
| Toner Yield (6% Coverage)             | imageRUNNER 2520W/2525W/2530W: Approx. 14,600 sheets (A4)<br>imageRUNNER 2535W/2545W: Approx. 19,400 sheets (A4)                |  |
| Drum Yield                            | imageRUNNER 2520W/2525W/2530W: Approx. 132,000 sheets (A4)<br>imageRUNNER 2535W/2545W: Approx. 140,000 sheets (A4)              |  |
| <b>Print Specification</b>            |   |  |
| PDL                                   | Standard: UFR II LT<br>Optional: PCL 5e/6, PS3  |  |
| OS Compatibility                      | PCL   | Windows 10/8.1/8/7/Vista/Windows Server 2003/Server 2008 R2/Server 2008  |
|                                       | Adobe PostScript 3  | Windows 10/8.1/8/7/Vista/Windows Server 2003/Server 2008 R2/Server 2008/Mac OS X10.5 or later  |
|                                       | UFR II  | Windows 10/8.1/8/7/Vista/Windows Server 2003/Server 2008 R2/Server 2008/Mac OS X10.5 or later  |
| <b>Network ScanGear Specification</b> |   |  |
| Supported OS                          | Windows 8.1/8/7/Vista/Windows Server 2003 R2/Server 2008/Server 2008 R2/Server 2012 R2  |  |
| Resolution                            | BW: Up to 600 x 600 dpi<br>CL: Up to 300 x 300 dpi  |  |

|  |  |
|--|--|
| <b>Optional Accessories</b>  |  |
| <b>DADF-AA1 (Only for IR2535/2545)</b>   |  |
| <b>DADF-AB1 (Only for IR2520/2525/2530)</b>  |  |
| Power Source   | From Main Unit   |
| Stacking Method  | Face Down  |
| Feeder Capacity (80gsm)  | DADF-AA1: 100 sheets<br>DADF-AB1: 50 sheets  |
| Acceptable Originals   | A4, A4R, A3, A5, A5R, B4, B5, B5R  |
| Acceptable Paper Weights   | DADF-AA1: 1-sided: 42 to 128gsm<br>2-sided: 50 to 128gsm<br>DADF-AB1: 52 to 128gsm   |
| Speed  | DADF-AA1: Copying: 45ipm (B&W)<br>Sending: 45/34ipm (B&W/Colour)<br>DADF-AB1: Copying: 25ipm (B&W)<br>Sending: 25/25ipm (B&W/Colour) |
| Dimensions (W x D x H)   | DADF-AA1: 565 x 540 x 137 mm<br>DADF-AB1: 565 x 544 x 126 mm   |
| Weight   | DADF-AA1: Approx. 7.9kg<br>DADF-AB1: Approx. 7.0kg   |
| <b>Inner 2 Way Tray-G1</b>   |  |
| Power Source   | Power Supply Unit-U1 (Optional Accessory)  |
| Stacking Method  | Face Down  |
| Paper Weight   | 64 to 128gsm   |
| Capacity (80gsm)   | Tray A:<br>A4/B5: 250 sheets<br>Other sizes: 100 sheets<br>Tray B:<br>A4/B5: 100 sheets<br>Other sizes: 50 sheets                    |
| Dimensions (W x D x H)   | 426mm x 413mm x 109mm  |
| Weight   | Approx. 0.6kg  |
| <b>Cassette Module-W1 (Only for IR2520)</b>  |  |
| Paper Sizes  | A4, A4R, A3, A5R, B4, B5, B5R  |
| Paper Capacity (80gsm)   | 550 sheets   |
| Power Source   | From Main Unit   |
| Power Consumption  | Approx. 17.4 W Max   |
| Dimensions (W x D x H)   | 565mm x 680mm x 97mm   |
| Weight   | Approx. 12.8kg   |
| <i>Note: Installation of Cassette Spacer-A1 is required.</i>   |  |
| <b>Cassette Feeding Unit-AE1 (for all models)</b>  |  |
| Paper Sizes  | A4, A4R, A3, A5R, B4, B5, B5R  |
| Paper Capacity (80gsm)   | 2 x 550 sheets   |
| Power Source   | Power Supply Unit - U1 (Optional Accessory)  |
| Power Consumption  | Approx. 13.3 W Max   |
| Dimensions (W x D x H)   | 565mm x 680mm x 248mm  |
| Weight   | Approx. 24kg   |
| <i>Note: For IR2520, installation of Cassette Spacer-A1 is required.</i>   |  |
| <b>Super G3 Fax Board-AG1 (for all models)</b>   |  |
| Applicable Line  | Public Switched Telephone Network (PSTN), 1 line   |
| Compression Method   | MH, MR, MMR, JBIG  |
| Transmission Time  | ECM-MMR: Approx. 3.2 seconds<br>G3MR method: Approx. 1.3 seconds<br>G3MH method: Approx. 1.3 seconds<br>JBIG: Approx. 2.6 seconds    |
| Transmission Type  | Super G3, G3   |
| Sending Original Sizes   | A3, A4, A4R, B5*1, B5R*2, A5*2, A5R*1<br>*1 - Sent as B4<br>*2 - Sent as A4  |
| Receiving Paper Sizes  | A3, B4, A4, A4R, B5, B5R, A5, A5R  |
| Auto Dial Function   | Address Book: 300 destinations; one-touch buttons: 200 destinations  |
| Image Memory   | Approx. 1,000 pages  |
| <b>Colour Send Kit-Y1 (for all models)</b>   |  |
| Sending Method   | Email, I-Fax, File-Server (FTP, SMB)   |
| File Format  | TIFF (B&W), PDF (B&W/Colour), PDF (OCR*) (B&W/Colour), JPEG (Colour), PDF (Compact) (Colour), PDF (Compact + OCR*) (Colour)          |
| Colour Mode  | *OCR functions require installation of Color Send Searchable PDF Kit-C1<br>Colour, B&W   |
| <i>Note: Installation of System Upgrade RAM-C1 is required.</i>  |  |
| <b>Other Accessories and Supplies</b>  |  |
| FL Cassette-A1, FL Cassette-AK1, Envelope Feeder Attachment-D1, Cassette Spacer-A1, Inner Finisher-B1, Inner Finisher Additional Tray-B1, Stamp Ink Cartridge-C1, Stamp Unit-B1, Staple Cartridge-J1, 2 Way Unit-B1, Document Tray-I1, Copy Card Reader-F1, Card Reader Attachment-D3, USB Application 3-Port Interface Kit-A1, Serial Interface Kit-J2, Control I/F Cable-A1, ADF Access Handle-A1, Power Supply Unit-U1, PCL Printer Kit-AF1, PS Printer Kit-AF1, Barcode Printing Kit-B1, Colour Send Searchable PDF Kit-C1, System Upgrade RAM-C1, NPG-51 Black Toner, NPG-50 Black Toner, NPG-50/51 Drum Unit, Cassette Heater Unit-37, Heater Kit-J1 200V, IR Pedestal Type K(F) |  |

For more queries and product demonstrations, please speak with one of our Canon representatives today.







# Canon

Delighting You Always

## SOUTH & SOUTHEAST ASIA REGIONAL HEADQUARTERS

Canon Singapore Pte. Ltd.  
1 Fusionopolis Place #15-01 Galaxis Singapore 138522  
Tel: +65-6799 8888 | Fax: +65-6799 8882

[www.canon-asia.com](http://www.canon-asia.com)  
[www.canon.com.sg](http://www.canon.com.sg)

Canon Authorized Dealer:

**TrungViệt Hưng**  
THIẾT BỊ MÁY VĂN PHÒNG.VN

**TRUNG VIET HUNG CORPORATION**  
141 Nguyen Van Cu Str., Distric 5, HCMC, VN  
Tel : (84 8) 3837 6288 | Fax : (84 8) 3838 5177

[www.thietbimayvanphong.vn](http://www.thietbimayvanphong.vn)

## CANON OFFICES

### MALAYSIA

Canon Marketing  
(Malaysia) Sdn Bhd  
Block D, Peremba Square  
Saujana Resort Section U2,  
40150 Shah Alam  
Selangor Darul Ehsan, Malaysia  
Tel : 60-3-7844 6200 /  
7845 0055  
Fax : 60-3-7844 6196 / 6198  
[www.canon.com.my](http://www.canon.com.my)

### THAILAND

Canon Marketing  
(Thailand) Co. Ltd  
No.98 Sathorn Square  
Office Tower, 22nd - 24th floor,  
North Sathorn Road,  
Silom, Bangrak,  
Bangkok 10500  
Tel : 66-2-344 9999  
Fax : 66-2-344 9960  
[www.canon.co.th](http://www.canon.co.th)

### VIETNAM

Canon Marketing  
(Vietnam) Co. Ltd  
Level 10, President Place,  
93 Nguyen Du, Dist 1,  
Ho Chi Minh City, Vietnam  
Tel : 84-8-3820 0466  
Fax : 84-8-3820 0477  
[www.canon.com.vn](http://www.canon.com.vn)

### INDIA

Canon India Private Limited  
7th Floor, Tower B, Building  
#5, DLF Epitome, DLF Phase III,  
Gurgaon 122002,  
Haryana, India  
Tel : 91-124-416 0000  
Fax : 91-124-416 0011  
[www.canon.co.in](http://www.canon.co.in)

### HONG KONG

Canon Hongkong Co. Ltd  
19F, The Metropolis Tower  
10 Metropolis Drive  
Hunghom, Hong Kong  
Tel : 852-3191-2388  
Fax : 852-2369-3800  
[www.canon.com.hk](http://www.canon.com.hk)

### TAIWAN

Canon Marketing  
(Taiwan) Co. Ltd  
19F, No. 100,  
Sec.2 Roosevelt Road,  
Taipei, Taiwan, R.O.C.  
Tel : +886 2-6632-8888  
Fax : +886-2-6632-6700  
[www.canon.com.tw](http://www.canon.com.tw)

### PHILIPPINES

Canon Marketing  
(Philippines), Inc.  
7F Commerce and Industry  
Plaza, 1030 Campus Avenue  
Corner Park Avenue,  
McKinley Hill, Fort Bonifacio,  
Taguig City, Metro Manila,  
Philippines 1634  
Tel : 632-884-9000  
Fax : 632-556-1456  
[www.canon.com.ph](http://www.canon.com.ph)

## CANON BUSINESS PARTNERS

### AFGHANISTAN

Megaplus Afghanistan Limited  
House No. 233, Street No. 4,  
Charagh Ali,  
Qilla-e-Fatehullah,  
Kabul, Afghanistan  
Tel : 93-700 228 832 /  
93-700 979 5  
Fax : 93-202 201 259  
Email: [info@megaplus.com.af](mailto:info@megaplus.com.af)

### BANGLADESH

Flora Limited  
Adamjee Court Annex-2  
(4th Floor)  
119-120 Motijheel  
Commercial Area  
Dhaka 1000 Bangladesh  
Tel : 880-2-716-2742-46 / 225  
Fax : 880-2-955-0030  
[www.floralimited.com](http://www.floralimited.com)

### BRUNEI

Interhouse Company  
No. 5-7 Bunut Jaya Complex  
Spq 574 Jalan Tutong BF1320  
P.O. Box 423, Seri Complex  
Bandar Seri Begawan  
BA 1779 Brunei Darussalam  
Tel : 673-2-653-001  
Fax : 673-2-653-003

### CAMBODIA

Royal Cambodia Co., Ltd  
#437 Preah Monivong Blvd  
Phnom Penh  
Kingdom of Cambodia  
Tel : 855-23-428955  
Fax : 855-23-722961

### INDONESIA

PT Samafitro  
Jalan Ir. H Juanda No.8  
Jakarta 10120, Indonesia  
Tel : 62-21-345 8989  
Fax : 62-21-345 6699  
[www.samafitro.co.id](http://www.samafitro.co.id)

### MALDIVES

Simdi Company Pvt Ltd.  
G.Manaam Building,  
2/1 Neelofaru Magu,  
Male' 20-129, Maldives  
Tel : 960-333 4421  
Fax : 960-333 4424

### MYANMAR

Myanmar Golden Rock  
International Co., Ltd  
Level 7, Building No 18,  
Myanmar ICT Park,  
Universities Hlaing Campus,  
Hlaing Township, Yangon.  
Tel : (01) 654810 to 19  
(10 Lines),  
(01) 654844 to 48  
(5 Lines)  
Fax : (01) 654820  
Email: [sales@mgr.com.mm](mailto:sales@mgr.com.mm)

### NEPAL

International Electronics Concern  
(P) Ltd  
Kha 14, 1st Floor  
Haratibhawan Putalisadak  
Ramshah Path,  
Kathmandu, Nepal  
P.O. Box 12588  
Tel : 977-1-442 1991  
Fax : 977-1-442 1909

### PAKISTAN

Shirazi Trading Company (Pvt.) Ltd  
8th Floor, Adamjee House  
I.I. Chundrigar Road  
Karachi 74000 Pakistan  
Tel : 92-21-3241 (7659),  
(7737) or (7746)  
Fax : 92-21-(3241 7747),  
(3242 0417) or  
(3242 0418)  
[www.shirazitrading.com.pk](http://www.shirazitrading.com.pk)

### SRI LANKA

Metropolitan Office (Pvt) Ltd  
12, Magazine Road  
Colombo 08  
Sri Lanka  
Tel : 94-11-470 0200  
Fax : 94-11-470 0267  
[www.metropolitan.lk](http://www.metropolitan.lk)

This document is for information purpose only and the contents are subject to change without notice. Product options, name and availability may vary by regions. Nothing in this document should be construed as a warranty. We expressly disclaim any liability or contractual obligations with respect to this document.

Canon, imageRUNNER, imageRUNNER ADVANCE, imageCHIP, RAPID Fusing System, MEAP, eMaintenance, iW, Business can be simple and get Smart get genuine are trademarks of Canon Inc. and/or its affiliates. "MEAP" is a trademark of CANON Inc., referring to an "application platform" for Canon multifunction and single function printers. Other names may be the trademarks of their respective owners.

uniFLOW, eCopy and Therefore are independent party software distributed by Canon Singapore Pte Ltd.